Exhibit A

santa cruz biotechnology, inc.

Log In I My Account | View Order | Wish List | Hein? | Site Man



Language -

home » Specialty Reagents and Buffers or Chemicals » Antiblotics and Cell Selection Agents: for use in tissue culture or bacterial culture » Taurolidine: sc-202827

Taurolidine: sc-202827

Search | Datasheet | MSDS

- C₇H₁₆N₄O₄S₂, MW: 284.4, CAS: 19388-87-5
- available in 10 mg (sc-202827) and 50 mg (sc-202827A) sizes
- Antibiotic with broad activity against serobic, anserobic, gram positive and gram negative
 bacteria, mycobacteria and fungl. Reacts with the cell wall. Has an anti-adherence effect. Inhibits
 tumor cell growth in vitro and in vivo. Has antituxic properties by chemical inactivation of endoand exotoxins.
 purity = >98%
- Soluble in water
- White to off-white powder.
- Tauroldine, an antilipopolysaccharide agent, has immunoregulatory properties that are mediated by the animo acid tauriene: R. William G. Walson, et al.; J. Leukoe. Gol. 56, 295 (1959).
 Taurolidine inhibits tumor cell growth in vitro and in vivo: N. McCourt, et al.; Ann. Surg. Oncol. 9, 685 (2000). Taurolidine: Cystotic and Mechanistic Evaluation of a Novel Antimoplastic Agent: P. Calduresi, et al.; Cancer Res. 51, 6516 (2001). The antibacterial substance taurolidine exhibits and autopace and according to a mised type of programmed cell deshir. R. Stendel, et al.; Autophasy S. 197 (2009)

Delivery Time: 3-5 business days

Ordering Information

| Product Name | Catalog # | Unit | Price | Qty | Wish List |
|--------------|-------------------------|-------|-------|------|-----------|
| Taurolidine | sc-202827 | 10 mg | \$40 | | |
| Taurolidine | sc-202827A | 50 mg | \$160 | | |
| | | | | Buy | Add · |
| | Set Currency US Dollars | | | . G0 | 1 |

Copyright ©, 2007-2009, Santa Cruz Blotechnology, Inc. All Rights Reserved. LEGAL